

U.O.C. Ortognatodonzia

Area Funzionale Omogena di Odontoiatria

Alcune pubblicazioni della Scuola:

Impacted maxillary incisors: diagnosis and predictive measurements.

Pavoni C, Mucedero M, Laganà G, Paoloni V, Cozza P.

Ann Stomatol (Roma). 2012 Jul;3(3-4):100-5. Epub 2012 Jan 14.

Caries prevalence in a 7- to 15-year-old Albanian schoolchildren population.

Laganà G, Fabi F, Abazi Y, Kerçi A, Jokici M, Nastasi EB, Vinjolli F, Cozza P.

Ann Stomatol (Roma). 2012 Apr;3(2):38-43. Epub 2012 Aug 9.

Long-term skeletal and dental effects and treatment timing for functional appliances in Class II malocclusion.

Franchi L, Pavoni C, Faltin K Jr, McNamara JA Jr, Cozza P.

Angle Orthod. 2012 Aug 29. [Epub ahead of print]

Does rapid maxillary expansion induce adverse effects in growing subjects?

Lione R, Franchi L, Cozza P.

Angle Orthod. 2013 Jan;83(1):172-82. doi: 10.2319/041012-300.1. Epub 2012 Jul 23.

Self-ligating versus Invisalign: analysis of dento-alveolar effects.

Pavoni C, Lione R, Laganà G, Cozza P.

Ann Stomatol (Roma). 2011 Jan;2(1-2):23-7. Epub 2011 Jul 18.

Prevalence rate and dentoskeletal features associated with buccally displaced maxillary canines.

Mucedero M, Ricchiuti MR, Cozza P, Baccetti T.

Eur J Orthod. 2011 Nov 14. [Epub ahead of print]

Mesial rotation of upper first molars in Class II division 1 malocclusion in the mixed dentition: a controlled blind study.

Giuntini V, Baccetti T, Defraia E, Cozza P, Franchi L.

Prog Orthod. 2011 Nov;12(2):107-13. doi: 10.1016/j.pio.2010.12.001. Epub 2011 Mar 9.

Stability of rapid maxillary expansion and facemask therapy: a long-term controlled study.

Masucci C, Franchi L, Defraia E, Mucedero M, Cozza P, Baccetti T.

Am J Orthod Dentofacial Orthop. 2011 Oct;140(4):493-500. doi: 10.1016/j.ajodo.2010.09.031.

Craniofacial features of subjects with adenoid, tonsillar, or adenotonsillar hypertrophy.

Baroni M, Ballanti F, Franchi L, Cozza P.

Prog Orthod. 2011;12(1):38-44. doi: 10.1016/j.pio.2010.09.001. Epub 2010 Sep 29.

Thin-plate spline analysis of craniofacial morphology in subjects with adenoid or tonsillar hypertrophy.

Baroni M, Ballanti F, Polimeni A, Franchi L, Cozza P.

Int J Pediatr Otorhinolaryngol. 2011 Apr;75(4):518-22. doi: 10.1016/j.ijporl.2011.01.010. Epub 2011 Feb 18.

Effect of RME and headgear treatment on the eruption of palatally displaced canines: a randomized clinical study.

Armi P, Cozza P, Baccetti T.

Angle Orthod. 2011 May;81(3):370-4. doi: 10.2319/062210-339.1. Epub 2011 Feb 7.

Treatment and posttreatment skeletal effects of rapid maxillary expansion investigated with low-dose computed tomography in growing subjects.

Ballanti F, Lione R, Baccetti T, Franchi L, Cozza P.

Am J Orthod Dentofacial Orthop. 2010 Sep;138(3):311-7. doi: 10.1016/j.ajodo.2008.10.022.

Treatment and posttreatment effects of a facial mask combined with a bite-block appliance in Class III malocclusion.

Cozza P, Baccetti T, Mucedero M, Pavoni C, Franchi L.

Am J Orthod Dentofacial Orthop. 2010 Sep;138(3):300-10. doi: 10.1016/j.ajodo.2010.05.001.

Interceptive therapy with elastodontic appliance: case report.

Laganà G, Cozza P.

Ann Stomatol (Roma). 2010 Jul;1(3-4):22-8. Epub 2011 Feb 13.

Modifications of midpalatal sutural density induced by rapid maxillary expansion: A low-dose computed-tomography evaluation.

Franchi L, Baccetti T, Lione R, Fanucci E, Cozza P.

Am J Orthod Dentofacial Orthop. 2010 Apr;137(4):486-8; discussion 12A-13A. doi: 10.1016/j.ajodo.2009.10.028.

Interceptive treatment of palatal impaction of maxillary canines with rapid maxillary expansion: a randomized clinical trial.

Baccetti T, Mucedero M, Leonardi M, Cozza P.

Am J Orthod Dentofacial Orthop. 2009 Nov;136(5):657-61. doi: 10.1016/j.ajodo.2008.03.019.

Treatment and post-treatment effects of facemask therapy on the sagittal pharyngeal dimensions in Class III subjects.

Baccetti T, Franchi L, Mucedero M, Cozza P.

Eur J Orthod. 2010 Jun;32(3):346-50. doi: 10.1093/ejo/cjp092. Epub 2009 Sep 13.

Transverse dentoskeletal features of anterior open bite in the mixed dentition.

Ballanti F, Franchi L, Cozza P.

Angle Orthod. 2009 Jul;79(4):615-20. doi: 10.2319/071808-375.1.

Effects of maxillary protraction with or without expansion on the sagittal pharyngeal dimensions in Class III subjects.

Mucedero M, Baccetti T, Franchi L, Cozza P.

Am J Orthod Dentofacial Orthop. 2009 Jun;135(6):777-81. doi: 10.1016/j.ajodo.2008.11.021.

Immediate and post-retention effects of rapid maxillary expansion investigated by computed tomography in growing patients.

Ballanti F, Lione R, Fanucci E, Franchi L, Baccetti T, Cozza P.

Angle Orthod. 2009 Jan;79(1):24-9. doi: 10.2319/012008-35.1.

Stability factors after double-jaw surgery in Class III malocclusion. A systematic review.
Mucedero M, Coviello A, Baccetti T, Franchi L, Cozza P.
Angle Orthod. 2008 Nov;78(6):1141-52. doi: 10.2319/101807-498.1. Review.

Treatment and posttreatment skeletal effects of rapid maxillary expansion studied with low-dose computed tomography in growing subjects.
Lione R, Ballanti F, Franchi L, Baccetti T, Cozza P.
Am J Orthod Dentofacial Orthop. 2008 Sep;134(3):389-92. doi: 10.1016/j.ajodo.2008.05.011.

A nonsurgical approach to treatment of high-angle Class II malocclusion.
Cozza P, Marino A, Franchi L.
Angle Orthod. 2008 May;78(3):553-60. doi: 10.2319/052307-248.1.

Orthopedic treatment outcomes in Class III malocclusion. A systematic review.
Toffol LD, Pavoni C, Baccetti T, Franchi L, Cozza P.
Angle Orthod. 2008 May;78(3):561-73. doi: 10.2319/030207-108.1. Review.

Phases of the dentition for the assessment of skeletal maturity: a diagnostic performance study.
Franchi L, Baccetti T, De Toffol L, Polimeni A, Cozza P.
Am J Orthod Dentofacial Orthop. 2008 Mar;133(3):395-400; quiz 476.e1-2. doi:
10.1016/j.ajodo.2006.02.040.

Dentoskeletal changes associated with fixed and removable appliances with a crib in open-bite patients in the mixed dentition.
Giuntini V, Franchi L, Baccetti T, Mucedero M, Cozza P.
Am J Orthod Dentofacial Orthop. 2008 Jan;133(1):77-80. doi: 10.1016/j.ajodo.2007.07.012.

Role of computed tomography in the evaluation of orthodontic treatment in adult patients with obstructive sleep apnea syndrome (OSA).
Cozza P, Ballanti F, Castellano M, Fanucci E.
Prog Orthod. 2008;9(1):6-16. English, Italian.

Comparison of 2 early treatment protocols for open-bite malocclusions.
Cozza P, Baccetti T, Franchi L, Mucedero M.
Am J Orthod Dentofacial Orthop. 2007 Dec;132(6):743-7.

Transverse features of subjects with sucking habits and facial hyperdivergency in the mixed dentition.
Cozza P, Baccetti T, Franchi L, Mucedero M, Polimeni A.
Am J Orthod Dentofacial Orthop. 2007 Aug;132(2):226-9.

Treatment and posttreatment effects of quad-helix/crib therapy of dentoskeletal open bite.
Cozza P, Mucedero M, Baccetti T, Franchi L.
Angle Orthod. 2007 Jul;77(4):640-5.

The diagnostic performance of chronologic age in the assessment of skeletal maturity.
Baccetti T, Franchi L, De Toffol L, Ghiozzi B, Cozza P.
Prog Orthod. 2006;7(2):176-88. English, Italian.

Shear bond strength of metal brackets on enamel.

Cozza P, Martucci L, De Toffol L, Penco SI.
Angle Orthod. 2006 Sep;76(5):851-6.

Treatment effects of a modified quad-helix in patients with dentoskeletal open bites.
Cozza P, Baccetti T, Franchi L, McNamara JA Jr.
Am J Orthod Dentofacial Orthop. 2006 Jun;129(6):734-9.

Mandibular changes produced by functional appliances in Class II malocclusion: a systematic review.

Cozza P, Baccetti T, Franchi L, De Toffol L, McNamara JA Jr.
Am J Orthod Dentofacial Orthop. 2006 May;129(5):599.e1-12; discussion e1-6. Review.

Orthodontic treatment of an impacted dilacerated maxillary incisor: a case report.

Cozza P, Marino A, Condo R.
J Clin Pediatr Dent. 2005 Winter;30(2):93-7.

Early orthodontic treatment of skeletal open-bite malocclusion: a systematic review.

Cozza P, Mucedero M, Baccetti T, Franchi L.
Angle Orthod. 2005 Sep;75(5):707-13. Review.

Sucking habits and facial hyperdivergency as risk factors for anterior open bite in the mixed dentition.

Cozza P, Baccetti T, Franchi L, Mucedero M, Polimeni A.
Am J Orthod Dentofacial Orthop. 2005 Oct;128(4):517-9.

An analysis of the corrective contribution in activator treatment.

Cozza P, De Toffol L, Iacopini L.
Angle Orthod. 2004 Dec;74(6):741-8.

Interceptive management of eruption disturbances: case report.

Cozza P, Marino A, Lagana G.
J Clin Pediatr Dent. 2004 Fall;29(1):1-4.

A modified monobloc for the treatment of obstructive sleep apnoea in paediatric patients.

Cozza P, Polimeni A, Ballanti F.
Eur J Orthod. 2004 Oct;26(5):523-30.

Dentoskeletal effects and facial profile changes during activator therapy.

Cozza P, De Toffol L, Colagrossi S.
Eur J Orthod. 2004 Jun;26(3):293-302.

An orthopaedic approach to the treatment of Class III malocclusions in the early mixed dentition.

Cozza P, Marino A, Mucedero M.
Eur J Orthod. 2004 Apr;26(2):191-9.

A modified monobloc for treatment of young children with obstructive sleep apnea.

Cozza P, Ballanti F, Prete L.
J Clin Orthod. 2004 Apr;38(4):241-7. No abstract available.

Use of a modified butterfly expander to increase anterior arch length.

Cozza P, De Toffol L, Mucedero M, Ballanti F.

J Clin Orthod. 2003 Sep;37(9):490-5. No abstract available.

Orthodontic treatment of a patient with an unusual impaction of a central incisor: case report.

Cozza P, Marino A, Ballanti F.

J Dent Child (Chic). 2003 May-Aug;70(2):174-7

Functional appliance treatment of severe Class II malocclusion in the early mixed dentition.

Cozza P, De Toffol L.

J Clin Orthod. 2003 Feb;37(2):69-74

Early diagnosis and treatment of supplemental mandibular tooth: report of a case.

Cozza P, Laganà G, Mucedero M.

ASDC J Dent Child. 2002 May-Aug;69(2):180-3, 125

The BioFrankel-3: a functional approach.

Cozza P, Marino A, Mucedero M.

J Clin Orthod. 2002 Aug;36(8):437-40